

1/16




Fig. 1

2/16




Fig. 2

3/16

300




Fig. 3

4/16




Fig. 4

5/16




Fig. 5

6/16




Fig. 6

7/16




Fig. 7




Fig. 9

8/16







Fig. 8

9/16







12/16

1300

BUSINESS PROCESS EDITOR
_ □ ×

File Edit Publish Help

Application Access Method
Process Flow

Access Method Name OrderEntry

Access Method Type Program Call ◀

Properties

System rchas001 Userid rstevens Password *****

PCM document orderentrypgm Browse

Documents

Input orderentrypgm Browse Load

☒ PCML ☐ XML

Output orderentrypgm Browse Load

☒ PCML ☐ XML

Field ID	Name	Default	Display	
<div style="border: 1px solid black; padding: 2px;"> Input <div style="border: 1px solid black; padding: 2px; margin-left: 10px;"> XYZ <div style="border: 1px solid black; padding: 2px; margin-left: 10px;"> inum q </div> </div> </div>	Item Number		<input checked="" type="checkbox"/>	△
	Item Quantity	1	<input checked="" type="checkbox"/>	
<div style="border: 1px solid black; padding: 2px;"> Output <div style="border: 1px solid black; padding: 2px; margin-left: 10px;"> XYZ p </div> </div>	Item Price		<input checked="" type="checkbox"/>	▽

Fig. 13

13/16

1300

BUSINESS PROCESS EDITOR □ □ ×														
<div style="display: flex; justify-content: space-between;"> File Edit Publish Help 1304 </div>														
<div style="display: flex; justify-content: space-between;"> Application Access Method Process Flow </div>														
<div style="display: flex; justify-content: space-between;"> Protocol Ariba </div>														
<div style="display: flex; justify-content: space-between;"> Action Order Request </div>														
<div style="display: flex; justify-content: space-between;"> Access Method names Order Entry </div>														
<div style="border: 1px solid black; padding: 5px;"> Input Mappings <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%; padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Request Fields <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B2B Header <ul style="list-style-type: none"> <input type="checkbox"/> Field 1 <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item ID <ul style="list-style-type: none"> <input type="checkbox"/> SupplierPartID <input type="checkbox"/> @quantity </div> </td> <td style="width: 40%; padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Access Method Fields <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity <input type="checkbox"/> Billing Address <input type="checkbox"/> Shipping Address </div> </td> <td style="width: 20%; padding: 5px; text-align: center;"> Add Mappings <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div> </td> </tr> </table> </div>			<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Request Fields <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B2B Header <ul style="list-style-type: none"> <input type="checkbox"/> Field 1 <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item ID <ul style="list-style-type: none"> <input type="checkbox"/> SupplierPartID <input type="checkbox"/> @quantity </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Access Method Fields <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity <input type="checkbox"/> Billing Address <input type="checkbox"/> Shipping Address </div>	Add Mappings <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div>									
<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Request Fields <ul style="list-style-type: none"> <input checked="" type="checkbox"/> B2B Header <ul style="list-style-type: none"> <input type="checkbox"/> Field 1 <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item ID <ul style="list-style-type: none"> <input type="checkbox"/> SupplierPartID <input type="checkbox"/> @quantity </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Access Method Fields <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity <input type="checkbox"/> Billing Address <input type="checkbox"/> Shipping Address </div>	Add Mappings <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div>												
<div style="border: 1px solid black; padding: 5px;"> Output Mappings <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%; padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Response Fields <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input type="checkbox"/> @quantity </div> </td> <td style="width: 40%; padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Access Method Fields <ul style="list-style-type: none"> <input type="checkbox"/> Item Price <input type="checkbox"/> Shipping Date <input type="checkbox"/> Shipping Status </div> </td> <td style="width: 20%; padding: 5px; text-align: center;"> Add Mappings <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div> </td> </tr> </table> </div>			<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Response Fields <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input type="checkbox"/> @quantity </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Access Method Fields <ul style="list-style-type: none"> <input type="checkbox"/> Item Price <input type="checkbox"/> Shipping Date <input type="checkbox"/> Shipping Status </div>	Add Mappings <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div>									
<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Response Fields <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Item Out <ul style="list-style-type: none"> <input type="checkbox"/> @quantity </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Access Method Fields <ul style="list-style-type: none"> <input type="checkbox"/> Item Price <input type="checkbox"/> Shipping Date <input type="checkbox"/> Shipping Status </div>	Add Mappings <div style="border: 1px solid black; height: 40px; margin-top: 5px;"></div>												
<div style="border: 1px solid black; padding: 5px;"> Access Method Fields <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Input <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity </div> </td> <td style="width: 40%; padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> /itemOut/itemID/SupplierPartID </div> </td> <td style="width: 30%; padding: 5px; text-align: center;"> Remove </td> </tr> <tr> <td style="padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Output <ul style="list-style-type: none"> <input type="checkbox"/> Item Price </div> </td> <td style="padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> /itemOut/@quantity </div> </td> <td style="padding: 5px; text-align: center;"> Remove All </td> </tr> <tr> <td style="padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div> </td> <td style="padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div> </td> <td style="padding: 5px; text-align: center;"> Remove All </td> </tr> <tr> <td style="padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div> </td> <td style="padding: 5px;"> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div> </td> <td style="padding: 5px; text-align: center;"> Remove All </td> </tr> </table> </div>			<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Input <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> /itemOut/itemID/SupplierPartID </div>	Remove	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Output <ul style="list-style-type: none"> <input type="checkbox"/> Item Price </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> /itemOut/@quantity </div>	Remove All	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	Remove All	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	Remove All
<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Input <ul style="list-style-type: none"> <input type="checkbox"/> Item Number <input type="checkbox"/> Item Quantity </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> /itemOut/itemID/SupplierPartID </div>	Remove												
<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> Output <ul style="list-style-type: none"> <input type="checkbox"/> Item Price </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> /itemOut/@quantity </div>	Remove All												
<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	Remove All												
<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	<div style="border-bottom: 1px solid black; margin-bottom: 5px;"> </div>	Remove All												

Fig. 14




Fig. 15

15/16




Fig. 16

16/16

CONFIGURE JOE'S FISHMARKET FOR <INSTANCE NAME>

Transaction	Subtype	Supplier	Buyer	Operation (Flow)
<input checked="" type="checkbox"/>	OrderMessage	*All ▾	*All ▾	JoesFishOrder ▾
<input type="checkbox"/>	ProfileRequest	*All ▾	*All ▾	AribaProfile ▾
<input checked="" type="checkbox"/>	PunchOut	*All ▾	*All ▾	PunchOutCeate ▾
<input checked="" type="checkbox"/>		*All ▾	*All ▾	JoesPunchEdit ▾
<input type="checkbox"/>		*All ▾	*All ▾	PunchOutinspect ▾

Edit

Previous

Advances

Deploy

- Select which protocol messages and sub-types will be supported for this market

- Only Valid types for Protocol will be displayed
- Valid Operations come up in operation dropdown

- Display and allow edit of supplier/Buyer

- Known Suppliers/ buyers in dropdown
- Selecting new Supplier/ Buyer creates new line

Deploy the Metadata

Instances

Suppliers

Buyers

Catalog

Deployment

MESSAGE AREA

Fig. 17